

KUANHUI[®]


专 · 注

FOCUS



宽·慧

KUANHUI[®]



目 录

壹 • 企 业 简 介

1. ENTERPRISE INTRODUCTION

贰 • 产 品 目 录

2. PRODUCT CATALOGUE

叁 • 联 系 我 们

3. CONTACT INFORMATION




第壹章节

ONE

无锡宽慧科技有限公司

WUXI KUANHUI TECHNOLOGY CO.,TLD





企业 简介

ENTERPRISE
INTRODUCTION

现代物理说：“宽”是三维空间某一维度尺寸的定义。
古代佛家说：“慧”是世俗尘间了解一切事理的般若。
这是一个多边与多元的世界，任何细微的因素都会悄然改变世界的格局。
颠覆性的创造技术将彻底撼动传统工业活动与制造工艺。
细分技术领域，本土化即为全球化。
智能科技与古老传承的相融，即为“宽慧”。

MODERN PHYSICS SAYS:"WIDTH" IS THE DEFINITION OF A DIMENSION IN THREE-DIMENSIONAL SPACE.
ANCIENT BUDDHIST DOCTRINE: "WISDOM" IS THE WISDOM OF WORLDLY AFFAIRS TO UNDERSTAND
EVERYTHING.

THIS IS A MULTILATERAL AND PLURALISTIC WORLD. ANY SUBTLE FACTOR WILL QUIETLY CHANGE THE
WORLD PATTERN.

CREATIVE TECHNOLOGY WILL COMPLETELY SHAKE TRADITIONAL INDUSTRIAL ACTIVITIES AND
MANUFACTURING PROCESSES.

IN THE FIELD OF SUBDIVISION, LOCALIZATION IS GLOBALIZATION.

THE INTEGRATION OF INTELLIGENT TECHNOLOGY AND ANCIENT INHERITANCE IS CALLED "KUANHUI".



无锡宽慧科技有限公司专注于自行剪叉作业平台控制器系统及配件的研发与销售。

WUXI KUANHUI TECHNOLOGY CO., LTD. FOCUSES ON THE DEVELOPMENT AND SALES OF SCISSORS ALTITUDE PLATFORM CONTROLLER SYSTEM AND ACCESSORIES.

从关键物料采购、模具开发、原料选材、非标定制、工装设计，到产品抗力、抗磁、高低温和耐损测试，以保证产品安全性、稳定性、可靠性、一致性以及兼容性。

PROCUREMENT OF KEY MATERIALS, MOLD DEVELOPMENT, MATERIAL SELECTION, NON-STANDARD CUSTOMIZATION, TOOLING DESIGN, PRODUCT RESISTANCE, MAGNETIC RESISTANCE, HIGH AND LOW TEMPERATURE AND WEAR RESISTANCE, ENSURE PRODUCT SAFETY, STABILITY, RELIABILITY, UNIFORMITY, COMPATIBILITY.

弘扬民族工业，打造国产品牌，提出“服务、高效、安全”的口号。

CARRY FORWARD THE NATIONAL INDUSTRY AND CREATE DOMESTIC BRANDS, AND PUT FORWARD THE SLOGAN OF "SERVICE, EFFICIENCY AND SAFETY".






第 貳 章 节

TWO

产品介绍

PRODUCT INTRODUCTION



剪叉控制平台控制器系列产品

SCISSORS AERIAL WORKING PLATFORM CONTROLLER SERIES

301000

Exploded view diagram of the 301000 device assembly. The diagram shows the main housing (101001) and various components including the display (302002), keypad (202001), and internal electronics (203001). Callouts indicate the following parts:

- 9 1 302002: Display unit
- 2 1 105001: Keypad
- 8 1 201004: Cable
- 1 1 101001: Main housing
- 5 1 101003: Gasket
- 2 1: Mounting ring
- 3 1 202001: Keypad assembly
- 8 1: Mounting ring
- 6 4 101002: Internal components
- 7 1 203001: Electronics board
- 4 1 202001: Keypad assembly
- 10 1 101011: Base plate


Dimensions:

- Overall width: 175.00
- Overall height: 107.00
- Mounting hole diameter: $\varnothing 7.00$

同一个宽慧上控总成能兼容吉尼5代和5代之前的系统，同时兼容鼎力，临工，星邦(按键不会反。)

THE SAME PCU CONTROLLER CAN BE COMPATIBLE
WITH GENIE 1 TO 5 GENERATION SYSTEM, COMPATIBLE
WITH DINGLI、LGMG、SINOBOOM (DTC STANDARD
CONTROLLER)

序号	宽慧料号 KUANHUI	品名	NAME OF GOODS	GENIE P/N	S.N
	301000	上控总成	PCU	100840	
1	101001	上控箱体	ENCLOSURE	100998	1
2	105001	盒体贴膜	OVERLAY		2
3	202001	急停开关	E-STOP ACTUATOR	66812	3
4	202001-1	急停开关触点	CONTACT BLOCK	66817	4
5	101003	蜂鸣器	ALARM,NUT,AND GASKET	51860	5
6	101002	透明按键帽	SWITCH ACTUATOR PARTS	105662	6
7	203001	电路板	PCU PCBA	109503	7
8	201004	德驰弹簧线	COIL CORD ,DEUTSCH	144065	8
9	302002	手柄	JOYSTICK	78903H	9
10	101011	底板	COVER BOTTOM	100999	10



301000=100840

零配件可以互换


SPARE PARTS CAN BE EXCHANGED WITH EACH OTHER

序号	宽慧料号 KUANHUI	品名	NAME OF GOODS	鼎力DINGLI P/N	S.N
	301000	上控总成	PCU	604395	
1	101001	上控箱体	ENCLOSURE	252390	1
2	105001	盒体贴膜	OVERLAY	252389	2 </td
3	202001	急停开关	E-STOP ACTUATOR	220695	3
4	202001-1	急停开关触点	CONTACT BLOCK	220696	4
5	101003	蜂鸣器	ALARM,NUT,AND GASKET	604632	5
6	101002	透明按键帽	SWITCH ACTUATOR PARTS	604633	6
7	203001	电路板	PCU PCBA	271265	7
8	201003	SIBAS弹簧线	COIL CORD ,SIBAS	230147	8
9	302002	手柄	JOYSTICK	604399	9
10	101011	底板	COVER BOTTOM	252391	10


301000=604395

零配件可以互换

SPARE PARTS CAN BE
EXCHANGED WITH EACH OTHER



604756




301000=604756

零配件可以互换

SPARE PARTS CAN BE EXCHANGED
WITH EACH OTHER

序号	寬慧料号 KUANHUI	品名	NAME OF GOODS	DTC标准盒 (星邦) SINOBOOM P/N	S.N
	301000	上控总成	PCU	604756	
1	101025	上控箱体	ENCLOSURE		1
2	105011	盒体贴膜	OVERLAY	222432	2
3	202001	急停开关	E-STOP ACTUATOR	220695	3
4	202001-1	急停开关触点	CONTACT BLOCK	220696	4
5	101003	蜂鸣器	ALARM,NUT,AND GASKET	604632	5
6	101002	透明按键帽	SWITCH ACTUATOR PARTS	220822	6
7	203001	电路板	PCU PCBA	271265S	7
8	201003	SIBAS弹簧线	COIL CORD ,SIBAS	604781	8
9	302002	手柄	JOYSTICK	604399S	9
10		底板	COVER BOTTOM		10

序号	宽慧料号 KUANHUI	品名
	301001	越野剪叉上控总成
1		上控箱体
2		箱体贴膜
3	202001	急停开关
4	202001-1	急停开关触点
5	101003	蜂鸣器
6	101002	透明按键帽
7	203004	电路板
8	201003	SIBAS弹簧线
9	302002	手柄
10		底板



NAME OF GOODS	鼎力DINGLI P/N	S.N
ROUGH TERRIAN(RT) SCISSOR PCU	B19755	
ENCLOSURE	252497	1
OVERLAY	252495	2
E-STOP ACTUATOR	220695	3
CONTACT BLOCK	220696	4
ALARM,NUT,AND GASKET	220547	5
SWITCH ACTUATOR PARTS	220822	6
PCU PCBA	271341	7
COIL CORD ,SIBAS	604781	8
JOYSTICK	604064J	9
COVER BOTTOM	252497	10

下控

宽慧下控能兼容吉尼1-5代下控，鼎力下控，星邦下控。

ECU


KUANHUI ECU CAN BE COMPATIBLE WITH GENIE 1 TO 5 ECU, DINGLI ECU,SINOBOOM ECU.

KUANHUI-100839 = GENIE-100839



KUANHUI-100839 = GENIE-78725

KUANHUI-604396 = DINGLI-604396

KUANHUI-604757 =SINOBOOM-604757



ECU安装尺寸图 INSTALLATION DIMENSION DIAGRAM OF ECU





此手柄可以和DTC为吉尼定制的AJ3
手柄兼容

THE JOYSTICK CAN BE COMPATIBLE
WITH DTC FOR THE AJ3 JOYSTICK
CUSTOMIZED FOR GENIE


KUANHUI-302002=GENIE-78903H

KUANHUI-302002=DINGLI-604399

KUANHUI-302002=SINOBOOM-604399S


工业操作杆
JOYSTICKS

KH-AJ3




【宽慧】

302002




INSTALL DIMENSIONS




型号参数:	电气参数:	机械参数:
MODEL PARAMETER:	ELECTRICAL PARAMETER:	MECHANICAL PARAMETER:
弹簧复位	工作电压: 5V	摇摆角度: ±20°
SPRING RETAIN	WORKING VOLTAGE:5V	SWING ANGLE: ±20°
单轴、前后方向	差分线性输出	操作力: 5N
SINGLEAXIS,FORWARD-REVERSE	DIFFERENTIAL LINEAR OUTPUT	OPERATING FORCE: 5N
霍尔型, 每轴冗余霍尔	线性公差: 两端<±4%	限位力: >300N
HALL SENSOR ,REDUNDANT HALL PER AXIS	中位<±2%	LIMIT THE FORCE: >300N
使用寿命: >200万次	LINEAR TOLERANCE: BOTH ENDS <±4%	防护等级: IP65
WORKING LIFE:>TWO MILLION TIMES	NEUTRAL POSITION <±2%	IP RATING:IP65
重量: 515克	保存温度: -40℃~85℃	工作温度: -30℃~70℃
WERGHT: 515G	STORAGE TEMP:-40℃~85℃	OPERATING TEMP: -30℃~ 70℃

序号	寬慧料号 KUANHUI	品名
	302002	KH-AJ3手柄
1	104008	使能开关护套
2	104010	左右开关护套
3	101014	按键翘板
4	104006	左右按键帽
5	104007	O型圈
6	101017	左半手柄
7	101018	右半手柄
8	102012	使能弹簧
9	101016	弹簧帽
10	101015	使能长条
11	102003	黑色螺丝
12	104009	防尘套
13	201007	使能开关线束
14	201008	左右开关线束





NAME OF GOODS	GENIE P/N	S.N
JOYSTICK	78903H	
ENABLE SWITCH BOOT K12		1
STEERING SWITCH BOOT		2
SWITCH ACTUATOR		3
ROCKER BOOT	97015	4
O RING		5
HANDLE HALF-LEFT	150157	6
HANDLE HALF-RIGHT	150159	7
SPRING		8
SPRING CAP		9
LEVER,DEADMAN		10
SCREW 3*12 BLACK		11
RUBBER BOOT	97013	12
ENABLE BUTTON HARNESS	105171	13
ROCKER BUTTON HARNESS	105115	14



AJ3是一款用于适应标准及定制设计的多功能手柄，轴的高机械强度和独特的传感设计使得它非常适合在崎岖严酷的环境中使用

THE AJ3 JOYSTICK IS DESIGNED TO ACCOMMODATE STANDARD AND CUSTOM DESIGNED MULTIFUNCTION GRIPS. THE HIGH MECHANICAL STRENGTH AND UNIQUE SENSING DESIGN OF THE SHAFT MAKE IT VERY SUITABLE FOR USE IN RUGGED AND HARSH ENVIRONMENTS.

轴 AXIS



输出
类型

模拟量 ANALOG VOLTAGE

0.5V-2.5V-4.5V OR 4.5V-2.5V-0.5V
1V-2.5V-4V OR 4V-2.5V-1V

TYPE OF
OUTPUT

PWM


10%-90% OR 90%-10%,
20%-80% OR 80%-20%

CAN总线输出 CAN2.0A/B SAE J1939
CAN BUS DIGITAL OUTPUT

输入电压 INPUT VOLTAGE




5V,24V


宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
301000	上控总成 PCU		100840	604395	604756	同一个宽慧上控总成能兼容吉尼5代和5代之前的系统，同时兼容鼎力，临工，星邦(按键不会反。) THE SAME PCU CONTROLLER CAN BE COMPATIBLE WITH GENIE 1 TO 5 GENERATION SYSTEM, COMPATIBLE WITH DINGLI、SDLG、SINOBOOM (DTC STANDARD CONTROLLER)
101001	箱体 ENCLOSURE			252390		鼎力外壳 ENCLOSURE DINGLI
101011	下盖板 COVER BOTTOM			252391		鼎力外壳下 COVER BOTTOM DINGLI
105001-1	贴膜 OVERLAY			252389		鼎力盒体贴膜 OVERLAY DINGLI
105002	急停贴膜 E-STOP OVERLAY			252454		


宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
301002	上控总成 PCU		100840			同一个宽慧上控总成能兼容吉尼1至5代系统和临工系统。 THE SAME PCU CONTROLLER CAN BE COMPATIBLE WITH GENIE 1 TO 5 GENERATION SYSTEM, COMPATIBLE WITH LGMG SYSTEM
101032	箱体 ENCLOSURE		100998			吉尼、临工外壳 ENCLOSURE GENIE、LGMG
102007	铁架子 IRON SHELF					
201001	蜂鸣器线束 BUZZER WIRE					

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
101025	箱体 ENCLOSURE					星邦箱体 ENCLOSURE SINOBOOM
105011	贴膜 OVERLAY				222432	星邦箱体适用 OVERLAY , SINOBOOM
105015	贴膜 OVERLAY GENIE 5		97772GT			吉尼5代箱体适用 OVERLAY , GENIE 5
105013	贴膜 OVERLAY					北谷箱体适用 OVERLAY , NVR
101002	透明按键 SWITCH ACTUATOR PARTS		105662	604633	220822	

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
101003	蜂鸣器 ALARM		51860	604632	604632	电压有源24V连续声，配硅胶垫片 VOLTAGE ACTIVE 24V CONTINUOUS SOUND,INCLUDE GASKET
202001	旋转拉拔一体急停 E-STOP ACTUATOR ROTATE/PUSH- PULL RELEASE		66812	220695	220695	
202001-1	开关触点 CONTACT BLOCK		66817	220696	220696	
202003	拉拔急停 E-STOP PUSH- PULL		66812	220695	220695	
202003-1	开关触点 CONTACT BLOCK		66817	220696	220696	

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
203001	上控方电路板 PCU PCBA			271265	271265S	鼎力系统，星邦系统适用 APPLICABLE FOR DINGLI AND SINOBOOM SYSTEM
203002	上控长电路板 PCU PCBA		109503			吉尼5代，临工系统适用 APPLICABLE FOR GENIE GEN5、LGMG SYSTEM. LGMG P/N 4130001046007
203006	上控电路板 PCU PCBA		1256725			吉尼6代系统适用 APPLICABLE FOR GENIE GEN6
203003	越野剪叉电路板 PCU PCBA		99163			吉尼越野剪叉适用 APPLICABLE FOR GEINE ROUGH TERRIAN(RT) SCISSOR
203004	越野剪叉电路板 PCU PCBA		DTC 271341			鼎力，星邦4*4越野剪叉适用 APPLICABLE FOR DINGLI,SINBOOM ROUGH TERRIAN(RT) SCISSOR ,4*4

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
203005	上控电路板					UPRIGHT 电曲臂适用 P/N 501865-000 APPLICABLE FOR UPRIGHT ELECTEICAL ARTICULATING BOOM
201002	光弹簧线 COIL CORD					
201003	西霸士弹簧线 COIL CORD, SIBAS			230147	604781	鼎力适用 DINGLI COIL CORD
201004	德驰弹簧线 COIL CORD DEUTSCH		144065			吉尼5代适用 GEN 5 COIL CORD
201006	凌科弹簧线 COIL CORD, CNLINKO					

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
302002 	KH-AJ3手柄 JOYSTICK 		78903H	604399	604399S	此手柄可以和DTC为吉尼定制的AJ3手柄兼容 THE JOYSTICK CAN BE COMPATIBLE WITH DTC FOR THE AJ3 JOYSTICK CUSTOMIZED FOR GENIE 单轴 Y-SINGLE AXIS
302003	手柄 JOYSTICK					十字轴 CROSS 
302004	手柄 JOYSTICK					正方形 SQUARE 
302005	手柄 JOYSTICK					圆型 CIRCULAR 

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
104006	左右按键帽 ROCKER BOOT		97015	900788	900788	DTC P/N 900788
104007	O型圈 O RING RUBBER					DTC P/N 220073
102025	扣簧 BUCKLE SPRING STEEL					DTC P/N 220073
104008	使能开关按键套 ENABLE SWITCH BOOT K12					DTC P/N 8490024001
101014	左右翘板 SWITCH ACTUATOR					DTC P/N 220762

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
201007	使能开关线束 ENABLE BUTTON HARNESS		105171			
201008	左右开关线束 ROCKER BUTTON HARNESS		105115			
101015	使能按键 LEVER,DEADMAN					DTC P/N 220763
101016	弹簧帽 SPRING CAP					DTC P/N 220769
102012	压缩弹簧 SPRING					DTC P/N 8890020220

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
101017	左半手柄 HANDLE HALF-LEFT		150157			DTC P/N 220760
101018	右半手柄 HANDLE HALF-RIGHT		150159			DTC P/N 220761
104009	防尘套 RUBBER BOOT		97013	88900203 04	88900203 04	DTC P/N 8890020304
102003	黑色螺丝 SCREW 3*12 BLACK					DTC P/N 8490043831

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
100839	下控总成 ECU		100839 78725			此下控兼容吉尼1到5代下控。 KUANHUI ECU CAN BE COMPATIBLE WITH GENIE 1 TO 5 ECU
604396	下控总成 ECU			604396		此下控兼容鼎力下控。 KUANHUI ECU CAN BE COMPATIBLE WITH DINGLI ECU
604757	下控总成 ECU				604757	此下控兼容星邦下控。 KUANHUI ECU CAN BE COMPATIBLE WITH SINOBOOM ECU
103035	36针母头 CONN RECEPT HOUSING 36POS					
103038	母头镀金端子 TERMINAL.GOLD					

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
103039	密封塞 CONN RCPT ANTI-BACKOUT					
103040	压线密封头 SEAL HEAD GRAY					
103041	盲塞 BLIND PLUG BLACK					
303008	中间插拔钥匙开关 KEY SWITCH					JLG 车型适用，料号4360469. JLG P/N 4360469 INTERMEDIATE PLUGGABLE
303009	三面插拔钥匙开关 KEY SWITCH		96008-S			吉尼车型适用 THREE PLANE PLUGGED GENIE

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
303003	马达控制器 MOTOR CONTROLLER					1204M-4201
303002	压力传感器 PRESSURE SENSOR					螺纹M14*1.5 THREAD M14*1.5
303005	角度传感器 ANGLE SENSOR					
303001	倾角传感器 2° 3° TILT SENSOR					12米以下车型适用 THE HEIGHT OF THE VEHICLE IS BELOW 12 METERS
303007	倾角传感器 1.5° 3° TILT SENSOR					12米以上车型适用 THE VEHICLE IS MORE THAN 12 METERS ABOVE THE HEIGHT

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
104011	JR手柄帽 JR ROCKER BOOT					
101028	JR手柄使能 JR LEVER DEADMAN					
101029	JR手柄按键 JR SWITCH ACTUATOR					
103019	14P插片 CONTACT 14P					
201018	西霸士带线 30厘米 30CM WIRE SIBAS					

宽慧料号 KUANHUI P/N	品名 PRODUCT NAME	图片 PICTURE	兼容料号COMPATIBLE P/N			说明 EXPLAIN
			吉尼 GENIE	鼎力 DINGLI	星邦 SINOBOOM	
201016	凌科接插件带线 30厘米 30CM WIRE CNLINKO					
201017	德驰接插件带线 30厘米 30CM WIRE DEUTSCH					
103030	西霸士一套 SIBAS TE					
103042	凌科一套 CNLINKO					
103034	德驰一套 DEUTSCH TE		105328GT 105329GT			GEN 5 KIT (DTM SEIRES)


第 叁 章 节

THREE

科技创芯 寬慧智造

TECHNOLOGY INNOVATION @ KUANHUI MANUFACTURING





企业理念

ENTERPRISE CONCEPT


安全性
SAFETY

稳定性
STABILITY

可靠性
RELIABILITY

兼容性
COMPATIBILITY

一致性
UNIFORMITY



即插即用

上控总成在弹簧线的接插件与原车接插件统一的前提下，原车上控怎么操作，宽慧的上控总成也是怎么操作。

PLUG AND PLAY


KEEP COMPATIBLE WITH ORIGINAL CONNECTOR, OPERATE AS BEFORE.

全面兼容

宽慧上控总成可以放在不同剪叉品牌的美国DTC系统上使用。与DTC系统上控总成的配件全面兼容，主要配件可互换。

COMPREHENSIVE COMPATIBILITY

KH'S PCU CAN BE COMPATIBLE WITH THE SCISSORS CAR OF THE US DTC SYSTEM. THE MAIN PARTS OF PCU CAN BE EXCHANGED.



无缝连接

上控总成与美国DTC各大剪叉品牌下控兼容的同时，设置操作代码和体现故障代码与原厂控制器一致。

SEAMLESS CONNECTION

KH'S PCU CAN BE COMPATIBLE WITH THE ECU OF DTC SYSTEM. SET THE OPERATION CODE, REFLECT THE FAULT CODE AND THE ORIGINAL CONSISTENCY.

2019至2020年行业会议概况表

中国建筑业协会机械管理与租赁分会	
2019年	第十届全国建筑机械租赁大会
2019年3月	第三届全国高空作业平台租赁大会
2020年	第十一届全国建筑机械租赁大会
2020年3月	第四届全国高空作业平台租赁大会



欢迎关注微信公众号

WELCOME TO WECHAT PUBLIC.



无锡宽慧科技有限公司

WUXI KUANHUI TECHNOLOGY CO.,LTD



中国江苏省无锡市滨湖区太湖街道双新工业
园区和风路582号

NO. 582 HEFENG ROAD,SHUANGXIN INDUSTRIAL
PARK,TAIHU STREET,,BINHU DISTRICT,WUXI CITY,
JIANGSU PROVINCE,CHINA



TEL:86-0510-85061486

MOB:18961757871 销售服务经理 SALES SERVICE MANAGERS

MOB:18051952021 技术服务经理 TECHNICALSERVICE MANAGERS

E-MAIL:kuanhui.wx@kuanhuitech.com

WWW.KUANHUITECH.COM



寬·慧

WWW.KUANHUI TECH.COM